

WHAT IS CLAIMED

1. A method for transferring data comprising:
providing a master request bus;
providing a slave request bus;
initiating an operation utilizing a protocol when a master request and an arbiter grant is received from the master request bus;
wherein the protocol enables transfer of data between computer hardware operating according to different protocols.
2. The method for transferring data according to claim 1, further comprising:
transferring data from an input buffer to a packet task manager;
dispatching the data from the packet task manager to an analysis machine;
classifying the data in the analysis machine; and
modifying and forwarding the data in a packet manipulator.
3. The method for transferring data according to claim 1, further comprising transferring the data after modifying and forwarding to an output buffer.
4. The method for transferring data according to claim 1, further comprising processing data packets at a rate of at least 10 Gbs.
5. A global access bus for transferring data, said global access bus comprising:
a master request bus; and
a slave request bus operationally connected to said master request bus;
wherein said master request bus and said slave request bus utilize a protocol enabling transfer of data between computer hardware operating according to different protocols.

09741845-12200

6. A global access bus according to claim 5, in combination with an apparatus comprising;

an analysis machine having multiple pipelines, wherein one pipeline is dedicated to directly manipulating individual data bits of a bit field;

a packet task manager operationally connected to said analysis machine; and,

a packet manipulator operationally connected to said analysis machine.

7. The apparatus according to claim 6, wherein said analysis machine is multi-threaded.

8. The apparatus according to claim 6, wherein said analysis machine has 32 threads.

9. The apparatus according to claim 5, further comprising:

a packet task manager operationally connected to said analysis machine; and

a packet manipulator operationally connected to said analysis machine.

10. The apparatus according to claim 5, further comprising:

an external memory engine operationally connected to said analysis machine; and

a hash engine operationally connected to said analysis machine.

11. The apparatus according to claim 5, further comprising:

packet input global access bus software code used for flow of data packet information from a flexible input data buffer to an analysis machine.

12. The apparatus according to claim 5, further comprising:

packet data global access bus software code used for flow of packet data between a flexible data input bus and a packet manipulator.

002222 " 9484260

statistics data global access bus software code used for connection of an analysis machine to a packet manipulator.

private data global access bus software code used for connection of an analysis machine to an internal memory engine submodule.

lookup global access bus software code used for connection of an analysis machine to an internal memory engine submodule.

results global access bus software code used for providing flexible access to an external memory.

results global access bus software code used for providing flexible access to an external memory.

a bi-directional access port operationally connected to said analysis machine;
a flexible data input buffer operationally connected to said analysis machine; and
a flexible data output buffer operationally connected to said analysis machine.